
MATTRESS

GUIDE





	NORIX BLUE	SILVER SECURE	BLACK MAX	NORIX CLEAR	MARATHON	
Construction	Inverted RF Welded Sealed Seam	Inverted RF Welded Sealed Seam	Inverted RF Welded Sealed Seam Reinforced with Security Stitching	Inverted RF Welded Sealed Seam	Seamless Molded Mattress	
Core	11 oz/sq ft Densified Polyester	11 oz/sq ft Densified Polyester	11 oz/sq ft Densified Polyester	15 oz/sq ft Polyethylene Air-String	Flexible Polyurethane Foam	
Cover Material	Polyurethane coated Polyester	Polyurethane coated Polyester	Three-ply Polyurethane coated cover	TPU coated Polyester	Roto-molded 200mm Vinyl	
Cover Material Weight	9 oz/sq yard	11 oz/sq yard	15 oz/sq yard	14.7 oz/sq yard	N/A	
Thickness	4.5″	4.5″	4.5″	4.5″	4.5"	
Weight	11 - 17 lbs	11 - 17 lbs	11 - 17 lbs	11 - 17 lbs	68 lbs	
Warranty	5 year Prorated Seam & Cracking	5 year Prorated Seam & Cracking	5 year Prorated Seam & Cracking	5 year Prorated Seam & Cracking	10 year Limited Prorated	
Integrated Pillow	٠	٠	٠	•	٠	
Rip-Stop Cover		٠	٠	٠		
Fluid Resistant	•	•	•	•	•	
GreenGuard Gold	٠	٠	٠	٠	•	
Passes: 16CFR Part 1633, 1632 and TB 129	٠	٠	•	٠	•	
Bed Bug Resistant	٠	٠	٠	٠	•	

CUSTODY MATTRESSES

	TRANSITIONS NORIX BLUE	DORM FOAM	DORM INNER SPRING	REMEDY NORIX BLUE	REMEDY SILVER SECURE	REMEDY BLACK MAX
Construction	Inverted RF Welded Sealed Seam	Inverted Sewn Seam	Inverted Sewn Seam	Inverted RF Welded Sealed Seam	Inverted RF Welded Sealed Seam	Inverted RF Welded Sealed Seam Reinforced with Security Stitching
Core	11 oz/sq ft Densified Polyester	1833 ILD Polyurethane Foam; 1.8 pcf	Dual comfort PU convoluted foam (1.35/1.5 pcf) with steel innerspring	1833 ILD Polyurethane Foam; 1.8 pcf	1833 ILD Polyurethane Foam; 1.8 pcf	1833 ILD Polyurethane Foam; 1.8 pcf
Cover Material	Polyurethane coated Polyester	210 Dernier Oxford Nylon with Polyurethane coating	210 Dernier Oxford Nylon with Polyurethane coating	Polyurethane coated Polyester	Polyurethane coated Polyester	Three-ply Polyurethane coated cover
Cover Material Weight	9 oz/sq yard	9 oz/sq yard	9 oz/sq yard	9 oz/sq yard	11 oz/sq yard	15 oz/sq yard
Thickness	4.5″	6"	7"	6"	6"	6″
Weight	16 - 19 lbs	10 - 22 lbs	28 - 33 lbs	24 - 29 lbs	24 - 29 lbs	24 - 29 lbs
Warranty	5 year Prorated Seam and Cracking	3 year Material and Workmanship	3 year Material and Workmanship	5 year Prorated Seam and Cracking	5 year Prorated Seam and Cracking	5 year Prorated Seam and Cracking
Integrated Pillow				Optional	Optional	Optional
Separate Matching Pillow Available	•			٠	٠	
Rip-Stop Cover					•	٠
Fluid Resistant	٠	*1	*1	٠	٠	٠
GreenGuard Gold	•	•	•	•	•	•
Passes: 16CFR Part 1633, 1632 and TB 129	•	٠	•	٠	٠	•
Bed Bug Resistant	•			•	•	•



One Innovation Drive, West Chicago, Illinois 60185 Phone: 630-231-1331 | Toll Free: 800-234-4900 | Fax: 630-231-4343 6/23 | furniture@norix.com ©2023 Norix Group, Inc.

NORIX.COM